

ORACLE®



ORACLE®

Triple-O migration scenarios

Dr. Stephan Bühne
Senior Principal Technical Consultant, SAP Solution Center Walldorf

Topics

- Triple-O technology and prerequisites
- Triple-O architecture
- Online migration with network
- Online migration with limited network bandwidth
- Online migration without network

O2O Online / “Triple-O”

- Enhancement of the O2O method allows online migrations of databases
- Minimize needed downtime for database copy to a few minutes (10 - 15)
- Independent from the Database size
- SAP Support Note: 1508271


Architecture O2O

Source system
Oracle >= 9.2

PL/SQL Package
(Script generator)

> 1000 GB/h
(calculated on overall
Database size)

Target system
Oracle >= 11g



ORACLE

How It Works: Modular Architecture


Capture: Committed changes are captured (and can be filtered) as they occur by reading the transaction logs.

Trail files: Stages and queues data for routing.

Pump: Distribute data for routing to multiple targets.

Route: Data is compressed, encrypted for routing to targets.

Delivery: Applies data with transaction integrity, transforming the data as required.



Overview “Triple-O” steps

- Analyze source system
- Create empty target system
- Start GoldenGate process to record changes
- Perform initial data load while application is running
- Apply changes recorded on source system
- Synchronize source and target system
- Stop application on source system
- Start application on target

Triple-O method summary

- Starting the migration doesn't need a downtime
- Method is save for the production system. A running Online migration can be stopped at any time, without downtime or harming the production system.
- Uses Oracle GoldenGate functionality
- A capture process on the source system analyses REDO-Log and/or archive logs, capturing DDL and DML changes
- Based on the Log information a logical change record (LCR) is created
- The LCRs are propagated to the target system.
- An apply process on the target system executes these LCRs

Topics

- Triple-O technology and prerequisites
- **Triple-O architecture**
- Online migration with network
- Online migration with limited network bandwidth
- Online migration without network

Technologies Triple-O

- Initial database load is using standard methods:
 - Oracle CTAS (Create Table As Select)
 - Oracle Export/Import
 - Oracle PL/SQL
 - Oracle DataPump (Network/ Dumpfiles)
- An automated scheduling program is used to control the migration progress
- Source and target systems are compared based on DB-objects and row-count
- Permanent monitoring of the synchronization process (delay time of target, apply errors)

Prerequisites Triple-O


- Oracle version $\geq 9i$
- Available CPU resources ($> 30\%$)
- Available space for trail files on source: 50 % of Redo log volume/ 24h
- Available space for trail files on target: 50 % of Redo log volume/ 72h

Topics




- Triple-O technology and prerequisites
- Triple-O architecture
- **Online migration with network**
- Online migration with limited network bandwidth
- Online migration without network

Network based migration

Migration scripts




Source Database(s)



Target Database(s)

O2O Online – Data

Last Apply



Summary network migration


- Database downtime ~ 15 minutes
- Needs direct network connection
- Network at least 1 GBit
- Available space for trail files on source
- Trail files must be stored on the source system, while script generation is running.
- Volume of trail files can become very large, if script generation takes a long time (e.g. BW systems)
- As soon script generation is finished, trail files are transferred to the target. Transferred files are deleted on source (steady state)
- When initial database load (using O2O) is finished recorded changes are applied. Apply rate is up to 50 GB redo/ hour
- When time gap is closed, both systems can run in parallel with real time apply of changes
- System switch can taken place an any time

Topics



- Triple-O technology and prerequisites
- Triple-O architecture
- Online migration with network
- Online migration with limited network bandwidth
- Online migration without network

Network with limited bandwidth

Migration scripts




Source Database(s)



Target Database(s)

O2O Online – Data

Last Apply



Summary network with limited bandwidth


- Database downtime ~ 15 minutes
- Also 100 Mbit network connection sufficient
- Available space for trail files on source
- Trail files must be stored on the source system, while script generation is running.
- Volume of trail files can become very large, if script generation takes a long time (e.g. BW systems)
- As soon script generation is finished, trail files are transferred to the target. Transferred files are deleted on source (steady state)
- When initial database load (using O2O) is finished recorded changes are applied. Apply rate is up to 50 GB redo/ hour
- When time gap is closed, both systems can run in parallel with real time apply of changes
- System switch can taken place an any time

Topics

- Triple-O technology and prerequisites
- Triple-O architecture
- Online migration with network
- Online migration with limited network bandwidth
- **Online migration without network**

Migration without network

Migration scripts



Transport/ transfer



Source Database(s)



Capture



Source Trail

NAS 1



Pump




Target Trail



Target Database(s)

NAS 2



Migration without network




Source Database(s)


NAS2



Pump



Target Trail



Synchronisation




Target Database(s)


Transport/ transfer

Migration without network

Migration scripts



O2O Online – Data Flow



Summary migration without network

- Database downtime depends on project situation
- Available space for trail files on source
- Trail files must be stored on the source system, while script generation is running.
- Volume of trail files can become very large, if script generation takes a long time (e.g. BW systems)
- As soon script generation is finished, 1st set of trail files is transferred with export dumpfiles to the target.
- On source recording is writing trails files to 2nd NAS
- At the desired time, SAP is stopped and 2nd trail file set is transported to the target system
- Changes are applied on target
- System is started on the target

Questions & Answers

Optional Sub Title



Additional Informations, please contact:

Global Mail Address: saponoracle_de@oracle.com

Americas: kumar.allamraju@oracle.com
EMEA: michael.weick@oracle.com
APAC: chee.hian.ong@oracle.com
Japan: eisuke.sekiguchi@oracle.com



ORACLE IS THE INFORMATION COMPANY



ORACLE®