

Oracle Application Integration Architecture (AIA) Does It Deliver On It's Integration Promise?

Ahmed Aboulnaga
IPN Web
USA

Keywords:

Oracle, Application Integration Architecture, Service Oriented Architecture, AIA, SOA

Introduction

A typical Information Technology department in an organization undergoes many transformations in response to the needs of the business which drives it. In a business looking to stay ahead of its competition, change is the only constant. What we see as a result of such an evolution is the existence of disparate enterprise-class IT systems which have been inducted into the organization at various points in time to satisfy the most important business requirements at the time.

These systems could be based on different platforms, procured from different vendors, or custom built. Given the torrid pace of globalization, some of these systems may be located in different geographies and with outside partners. No matter how good a system may work standalone, it is rarely designed with integration in mind.

Enterprise integration is the task of making disparate systems work together to produce a unified set of functionality.

Integration is important because if applications are to continuously deliver value in the face of ever changing business landscape, they cannot live isolated from each other. We need techniques that allow us to take applications that were never designed to interoperate and break down the stovepipes so we can gain a greater benefit than the individual applications can offer us. It also allows us to deliver substantial value to the business by integrating functionality into more useful services.

Various technologies have been around that promise to solve the integration puzzle. Oracle's Application Integration Architecture (AIA) is one technology that is designed with the intent of solving the problem of integrating the various disparate Oracle applications that have mushroomed in the enterprises all around the world.

Integration Patterns

If we could anticipate our future business requirements and somehow design a system which could incorporate all future requirements as they came up, we wouldn't be talking about integration. The stark reality, however, is that we almost always can't anticipate our future business or integration needs.

This has given rise to multiple classes of enterprise applications and dozens of different ways to integrate them. We briefly talk about the two common integration patterns followed by an explanation of the integration architecture proposed by Oracle AIA.

Point-to-Point Integrations

Interfaces contain the logic for connectivity with the source applications, message transformation, and connectivity with target applications. In the typical point-to-point integration, the source and target applications are *tightly coupled*. This offers limited scalability, as adding a new application will almost always result in the development of a new interface as shown in Illustration 1.




Illustration. 1: Point-to-point integrations lead to tight coupling between source and target applications

SOA Integrations

With the introduction of Service Oriented Architecture, otherwise known as SOA, integrations are developed with *loose coupling* in mind. Source interfaces are built independent of target applications. This allows the ability to scale and add new target interfaces with limited changes to the existing integrations. Illustration 2 demonstrates how adding a new source application does not change the interface to the target application.




Illustration. 2: SOA developed integrations lead to a higher degree of reuse

Oracle Application Integration Architecture

Through organic growth and multiple acquisitions, Oracle has become an enterprise application powerhouse. Hundreds of thousands of organizations across the globe have multiple Oracle applications running. Almost all of them have a business need to integrate them at the data, functional, process, or UI level.

As is to be expected, they were approaching this problem to the best of their abilities. But almost of them were reinventing the wheel, so to speak. Oracle however, noticed a pattern in what was going on and in that, an opportunity to standardize the process of integration amongst various Oracle applications. It launched Oracle Application Integration Architecture.

The left figure in Illustration 3 shows the standard point-to-point integrations among multiple applications. Each integration is built separately, allows for limited reusability, consists of multiple

transformations, and more seriously, as the number of applications grow, the points of connection grow exponentially, making it much more difficult and more expensive to maintain.




Illustration. 3: Illustration of point-to-point integrations (left) compared to AIA-based integrations (right)

The figure on the right of Illustration 3 demonstrates how, by leveraging AIA, which is based on true Service Oriented Architecture concepts, interfaces can be reused, the number of transformation reduced, and overall maintenance is reduced.

Oracle AIA is not a novel concept. It is merely a formalization of an observed integration pattern and a set of best practices and frameworks, which if adhered to, promise to make integration of Oracle applications easier and more straightforward. The main components of Oracle AIA include:

1. Process Integration Packs (PIPs)
2. Enterprise Business Objects (EBO)
3. Development Methodology
4. Error Handling Framework
5. Composite Application Validation System (CAVS)
6. Other tools and features (e.g., Project Lifecycle Workbench, PIP Auditor, etc.)

From an architectural standpoint, the underlying J2EE application server is usually Oracle WebLogic Server, over which Oracle SOA Suite is installed. The AIA Foundation Pack is built and installed over Oracle SOA Suite, in which pre-built integrations, otherwise known as PIPs, are based on the AIA Foundation Pack.




Illustration. 4: High-level AIA architectural framework

Enterprise Business Objects – The Canonical Data Model

One of the more valuable components included with the AIA Foundation Pack are EBOs, or Enterprise Business Objects. EBOs are purely canonical data model representations. Companies often spend many months just trying to agree on a corporate data standard to represent their key business objects. For example, as shown in Illustration 5, applications A, B, and C may have different internal representations of a *customer*. By leveraging the Customer Party EBO, which is essentially a superset of customer elements, the source application publishes as much information to the EBO as possible. The integration will transform this data from the EBO to the format of the target systems.




Illustration. 5: Understanding the usage of the canonical data model, or EBO (Enterprise Business Object)

EBOs are based on the Open Applications Group content known as OAGIS and have been extended to incorporate best-of-breed attributes. They are designed with extensibility in mind and eliminate the need to comprehensively analyze your environment to determine a common message format.

From a technical standpoint, EBOs are merely XML schemas (i.e., xsd files). Examples of some Oracle AIA EBOs include:

- BankAccount
- CurrencyExchange
- CustomerParty
- Invoice
- Item
- Location
- PurchaseOrder

The AIA Development Methodology

In order to promote loose coupling between applications and increase the reusability of the integrations, AIA proposes a methodology to follow when developing custom integrations. This methodology is designed to decouple the source and target applications. Thus, if a change is made to the target application, it is virtually unknown to the source. Updates to any application requires little to no changes to your integrations as a result. PIPs, which are essentially pre-built integrations from Oracle, are developed using this methodology.




Illustration. 6: Demonstrating the Oracle AIA development methodology

In the illustration above, the end-to-end integration is separated into 3 separate components. The Requestor ABCS, which is tied to the source application, the Provider ABCS, which is tied to the target application, and the EBS (Enterprise Business Service), which is the router in between.

As shown in the illustration, the Requestor ABCS transforms the custom message (ABM) into the common canonical format (EBM). The EBS, shown in the middle, routes to the appropriate target application. The Provider ABCS accepts the message in the common canonical format and transforms it into the target application's custom format.

AIA Error Handling Framework

The AIA Foundation Pack also delivers an error handling framework. This is detailed in various Oracle documentation, but in summary, it can capture errors, notify on these errors, and provide workflow processes surrounding the management and assignment of these errors. The error handling framework is used by PIPs but can also be used by custom SOA integrations as well. Via the BPM Worklist application shown in Illustration 7, errors can be claimed, escalated, and delegated to users.

The screenshot shows the Oracle BPM Worklist interface. The header includes the Oracle logo, 'BPM Worklist', and navigation links for Home, Reports, Preferences, and Logout. Below the header, there are tabs for 'My Tasks' and 'Initiated Tasks'. The main content area is titled 'My Tasks (Inbox)' and contains a search bar and a table of tasks.

| Task Number | Title | Priority | Assigned Users | Assigned Groups | State | Created Date | Expiration Date | Actions |
|-------------|--|----------|---------------------|---------------------|----------|---------------------|-----------------|-----------------------------|
| 10000 | Error in AIA SyncProductPortalReqABCSImpl Process | 3 | AIAIntegrationAdmin | AIAIntegrationAdmin | Assigned | Sep 1, 2009 8:16 AM | | Claim [Go] |
| 10001 | Error in AIA SyncProductPortalReqABCSImpl Process | 3 | AIAIntegrationAdmin | AIAIntegrationAdmin | Assigned | Sep 1, 2009 8:16 AM | | -- Select an Action -- [Go] |
| 10020 | Error in AIA SyncProductPortalReqABCSImpl Process | 3 | AIAIntegrationAdmin | AIAIntegrationAdmin | Assigned | Sep 1, 2009 8:43 AM | | -- Select an Action -- [Go] |
| 10021 | Error in AIA SyncProductPortalReqABCSImpl Process | 3 | AIAIntegrationAdmin | AIAIntegrationAdmin | Assigned | Sep 1, 2009 8:43 AM | | -- Select an Action -- [Go] |
| 10022 | Error in AIA SyncProductPortalReqABCSImpl Process | 3 | AIAIntegrationAdmin | AIAIntegrationAdmin | Assigned | Sep 1, 2009 8:57 AM | | -- Select an Action -- [Go] |
| 10023 | Error in AIA SyncProductPortalReqABCSImpl Process | 3 | AIAIntegrationAdmin | AIAIntegrationAdmin | Assigned | Sep 1, 2009 8:57 AM | | -- Select an Action -- [Go] |
| 10024 | Error in AIA SyncItemPublicationSiebelProvABCSImpl Process | 3 | AIAIntegrationAdmin | AIAIntegrationAdmin | Assigned | Sep 1, 2009 9:15 AM | | -- Select an Action -- [Go] |

Illustration. 7: Screenshot of the BPM Worklist to claim errors captured by the AIA Error Handling Framework

Composite Application Validation System (CAVS)

The Composite Application Validation System (CAVS) is a testing tool delivered with the Oracle AIA Foundation Pack. It is a framework to test integration of AIA services. CAVS provides test initiators that simulate web service invocations and simulators that imitate service endpoints.




Illustration. 8: CAVS (Composite Validation Application System) usage

This becomes valuable when the target system may be unavailable. By leveraging the CAVS simulator, developers can continue testing without being hindered by the unavailability of the target application. However, this is somewhat limited as responses are hardcoded. Thus, the CAVS simulator is good for binding tests, but not necessarily data validation tests.

The CAVS test definition can simulate web service invocations, similar to tools such as soapUI.

Other AIA Foundation Pack Features and Capabilities

The Oracle AIA Foundation Pack delivers additional features such as the Project Lifecycle Workbench, the PIP Auditor, open APIs, and much more.

For example, functional designs are created to specify requirements that need to be implemented for an integration project. The Project Lifecycle Workbench is used to perform functional decompositions to break down overall projects into business tasks.

Project > Add Project

Save and Return Save Cancel

* Project Name

* Project Code

Implementation Vendor

Industry

Type

Status

Version

Project UID

Detail

- Description
- Assumption
- Business Tasks
- Document Links

Description

Tahoma

B / U **s₂ s² S**

The AIA Demo implements a sample AIA Process Integration Pack to showcase many features of the AIA Foundation Pack 11g Release 1. In the context of a fictitious retail enterprise called "Global Company" it integrates a number of applications to support a Order-to-Fulfilment business process. This includes the synchronization of customer information between a shop application and a CRM application on the one hand. On the other hand, this sample integration orchestrates multiple applications such as a credit card validation service, supplier service for getting quotes, logistic provider services, and many more to realize the order processing from the order submission in the shop to the final fulfilment.

Save and Return Save Cancel

Illustration. 9: Screenshot of the AIA Project Lifecycle Workbench 'Add Project' page

The "Truth Meter"

IPN Web conducted a survey with twelve leading Oracle AIA Solution Architects, with representation from Oracle, several systems integrators, and actual customers. A list of claims extracted from Oracle AIA marketing material, press releases, and release notes were provided to each of the architects to rank the truthfulness, on a scale of 1 to 10, of each of the statements.

The results are summarized in the Illustration 10 below.




| Oracle's Claim | Truth Meter |
|---|--|
| Reduce complexity, accelerating delivery |  58% |
| Promotes reuse |  78% |
| Leverages industry best practices |  76% |
| Speed up design with pre-built, extensible product data model |  73% |
| Allocate less work on maintenance |  63% |
| Lower integration costs (using PIPs) |  62% |
| Lower integration costs (Foundation Pack only) |  61% |
| Reduces integration risks (using PIPs) |  63% |
| Reduces integration risks (Foundation Pack only) |  60% |

Illustration. 10: The Oracle AIA Truth Meter – based on results from 12 leading Oracle AIA Architects

Several observations are made from the results (of which all details are not included here):

- A similar survey was conducted 6 months earlier (March 2011) with a third of the sample size. In the current survey (September 2011), increases were noted on 5 of the statements, 1 has decreased, while 3 have remained flat.
- As the sample size increases, the overall “truthfulness” of the statements rises, indicating a larger positive opinion on AIA than what was previously assumed from the past survey.
- The results in Illustration 10 are totals, but by breaking it down even further, only 47% of customers believe that AIA reduces complexity and 17% believe that it actually allocates less work on maintenance.
- Customers seem to be mixed on whether AIA lowers integration cost (50% for both cost statements).
- Architects from Oracle (both Consulting and the A-Team) seem to be mixed on whether AIA reduces risk (53% for both risk statements).

Overall, it appears that AIA is a legitimate and sound technological solution and approach, but achieving other benefits may vary from implementation to implementation.

Contact address:

Name

IPN Web, Inc.
 2275 Research Blvd., Suite 500
 Rockville, MD 20850
 USA

Phone: +1-301-296-4234
 Email: info@ipnweb.com
 Internet: www.ipnweb.com