


ORACLE®



The following is intended to outline our general product direction. It is intended for information purposes only, and may not be incorporated into any contract. It is not a commitment to deliver any material, code, or functionality, and should not be relied upon in making purchasing decisions. The development, release, and timing of any features or functionality described for Oracle's products remains at the sole discretion of Oracle.



ORACLE®

Joined Compression Proof of Concept (PoC) Siemens Healthcare, ISE and Oracle

Werner Zirkel, Patrick Pyka – Siemens Healthcare
Matthias Fuchs, Thomas Moßmann, Herbert Rossgoderer - ISE
Heinz Mielimonka – Oracle Germany

SIEMENS



Agenda

- Context
- EXADATA Proof of Concept (PoC)
- Results
- Summary



Agenda


- Context
- EXADATA Proof of Concept (PoC)
- Results
- Summary




Remote Service @ Siemens

A Solution which is in place since 2007 in all Siemens Sectors

SIEMENS



Hybrid Columnar Compression (HCC)



Oracle's Exadata Hybrid Columnar Compression technology is a new method for organizing data within a database block. As the name implies, this technology utilizes a combination of both row and columnar methods for storing data. This hybrid, or best of both worlds, approach achieves the compression benefits of columnar storage, while avoiding the performance shortfalls of a pure columnar format. A logical construct called the compression unit is used to store a set of Exadata Hybrid Columnar-compressed rows. When data is loaded, column values are detached from the set of rows, ordered and grouped together and then compressed. After the column data for a set of rows has been compressed, it is fit into the compression unit.

Agenda

- Context
- EXADATA Proof of Concept (PoC)
- Results
- Summary



Test set-up

Hardware and Database

- EXADATA V2 Quarter Rack
 - 2 Compute Nodes (Database Server)
 - 4*Intel Xeon E5540 2.53GHz CPUs with 4 cores each
 - 72GB RAM
 - 2 x Infiniband QDR 40Gbit Connection
 - 3 Exadata Storage Cells (Storage Server)
 - 4*Intel Xeon E5540 2.53GHz CPUs with 4 cores each
 - 24GB RAM
 - 12 disks, 600GB 15k rpm
 - 4*F20 Smart Flash Cache PCI Cards 96GB
- Software
 - Oracle Database Enterprise Edition 11.2.0.2 Bundle Patch 11 (24 GB sga_target)
 - Oracle Advanced Compression option, Real Application Cluster, Archive Log ON
 - Exadata Storage Cell Version 11.2.2.4.0



Test set-up

Representative Test data

- Complete Dataset
 - 8.026.398.615 records
in thousands of files and hundreds of directories
 - 61 GB data on disk (compressed)
 - 1,3 TB data on disk (uncompressed)
- Dataset of one single day
 - 15 GB data on disk (uncompressed)
- Record structure
 - Serial
 - severity flag
 - log_date
 - log_time
 - Component1
 - Component2
 - log_message



Test plan setup

- Create user (testhc)
- Create tablespaces
 - No compression
 - Low compression level for query operations
 - High compression level for query operations
 - Low compression level for archive operations
 - High compression level for archive operations
- Create tables
 - No compression
 - Low compression level for query operations
 - High compression level for query operations
 - Low compression level for archive operations
 - High compression level for archive operations

Test plan

acting on complete dataset

- Load 1,3 TB into uncompressed Table using sql*loader
- Compress (use create table as select - CTAS)
 - Low compression level for query operations
 - High compression level for query operations
 - Low compression level for archive operations
 - High compression level for archive operations
- Run reference select on
 - No compression
 - Low compression level for query operations
 - High compression level for query operations
 - Low compression level for archive operations
 - High compression level for archive operations

Test plan

acting on dataset of one single day

- Load 15 GB into Tables using sql*loader
 - Low compression level for query operations
 - High compression level for query operations
 - Low compression level for archive operations
 - High compression level for archive operations

Test plan

Measured values

- Values
 - Disk space
 - CPU
 - Memory
 - I / O
 - Performance
- Tools
 - Oracle Grid Control
 - Oracle AWR Report

Agenda

- Context
- EXADATA Proof of Concept (PoC)
- Results
- Summary



Create Tablespaces

mi:ss.ms

- Create Tablespace 2.097.152 MB
- Create Tablespace 204.800 MB

32:14.23

02:57.53

Data loading

hh:mi:ss

- Initial loading (1,4 TB) into uncompressed table 06:55:56
- Daily load (15 GB) Low compression level for query operations 00:01:45
- Daily load (15 GB) High compression level for query operations 00:02:05
- Daily load (15 GB) Low compression level for archive operations 00:02:10
- Daily load (15 GB) High compression level for archive operations 00:04:32

Reference Query Results (8.026.398.615 records)

mi:ss.ms

- No compression 05:32.82
- Low compression level for query operations 00:56.70
- High compression level for query operations 00:24.61
- Low compression level for archive operations 00:22.71
- High compression level for archive operations 00:16.61

Compression volume numbers

- Compression (disk) 62.464,00 MB
- No compression (disk) 1.363.148,80 MB
- No compression (database) 1.412.353,80 MB
- Low compression level for query operations 193.891,20 MB
- High compression level for query operations 81.604,10 MB
- Low compression level for archive operations 71.956,20 MB
- High compression level for archive operations 52.871,10 MB

Compression volume

Screenshot Enterprise manager

Name Allocated Size (MB) Space Used (MB) Allocated Space Used (%)

Name	Allocated Size (MB)	Space Used (MB)	Allocated Space Used (%)
<u>HC NORMAL</u>	2,097,152.0	1,412,353.8	67.3
<u>HC COMPRESS1</u>	204,800.0	193,891.2	94.7
<u>HC COMPRESS2</u>	204,800.0	81,604.1	39.8
<u>HC COMPRESS3</u>	204,800.0	71,956.2	35.1
<u>HC COMPRESS4</u>	204,800.0	52,871.1	25.8

Compression rates

estimate 40 GB vs. real 1,4 TB

- Low compression level for query operations 82 % vs. 86 %
- High compression level for query operations 92 % vs. 94 %
- Low compression level for archive operations 93 % vs. 95 %
- High compression level for archive operations 96 % vs. 96 %

Reference Query (8.026.398.615 records) uncompressed

Overview

SQL ID: fuduxddn5c9xz ⓘ
 Parallel: 32 / 2
 Execution Started: Wed Oct 12, 2011 4:41:38 PM
 Last Refresh Time: Wed Oct 12, 2011 4:45:08 PM
 Execution ID: 16777216
 User: SYS
 Fetch Calls: 0

Time & Wait Statistics

Duration: 3.5m

Database Time: 1.8h

PL/SQL & Java: 0.0s

Wait Activity %: 100

IO Statistics

Buffer Gets: 141M

IO Requests: 967K


IO Bytes: 851GB

Cell Offload Efficiency: 93%

Parallel Server	Database Time	Wait Activity %	IO Requests	Cell Offload Efficiency	Buffer Gets
All Parallel Servers					
Instance 1					
Parallel Coordinator	2.6s				9,065
Parallel Set 1					
Parallel Server 1 (p000)	3.5m	3.1	34K	93	4,927K
Parallel Server 2 (p001)	3.4m	3.11	29K	93	4,245K
Parallel Server 3 (p002)	3.5m	3.11	32K	93	4,750K
Parallel Server 4 (p003)	3.5m	3.06	29K	93	4,266K
Parallel Server 5 (p004)	3.5m	3.14	32K	93	4,742K
Parallel Server 6 (p005)	3.5m	3.14	29K	93	4,295K
Parallel Server 7 (p006)	3.5m	3.13	29K	93	4,251K
Parallel Server 8 (p007)	3.4m	3.14	29K	93	4,275K
Parallel Server 9 (p008)	3.5m	3.18	32K	93	4,617K



Reference Query (8.026.398.615 records)

Low compression level for query operations





Compression of 8.026.398.615 records

Low compression level for query operations




Compression of 8.026.398.615 records

High compression level for query operations




Disk volume in MB

see also slide 19



Reference Query (8.026.398.615 records)

see also slide 18



Agenda

- Context
- EXADATA Proof of Concept (PoC)
- Results
- Summary



Summary

Goals	Result
Compression goals	
Performance (create, insert)	
Performance (select)	

ORACLE®