

BYOC

Bring Your Own Container

Christian Kaltepoth / @chkal

Christian Kaltepoth
Senior Developer @ ingenit

christian@kaltepoth.de / [@chkal](#)

<http://blog.kaltepoth.de>

Java EE

Classic Approach

App Servers

Infrastructure

Java EE Apps

In 3 steps

#1: Write Code

```
@Stateless
public class MyService {

    @PersistenceContext
    private EntityManager entityManager;

    @TransactionalAttribute(MANDATORY)
    public void doStuff() {
        // business logic
    }

}
```

#2: Package

```
$ mvn package
[INFO] Scanning for projects...
.....
[INFO] -----
[INFO] BUILD SUCCESS
[INFO] -----
[INFO] Total time: 6.460s
[INFO] Finished at: Fri Mar 06 08:12:01 CET 2015
[INFO] Final Memory: 18M/200M
[INFO] -----
```

```
$ ls -sh target/*.war
968K target/myapp.war
```


#3: Deploy

```
$ cp target/myapp.war  
~/wildfly-8.2.0.Final/standalone/deployments/
```

Works great!

But...

ClassLoader Hell

Release Cycles

Hot Deployment

App Server Setup

Alternatives?

~~Containerless~~

Embedded Container

Application

=

Code + Container

Why?


1 JVM = 1 App = 1 CL

Flexibility

Simpler Setup/Deployment

**Run/Debug
in your IDE**

Examples?



Dropwizard

<http://dropwizard.io/>



Spring Boot

<http://projects.spring.io/spring-boot/>

Backset

<https://github.com/chkal/backset>

JavaEE APIs

**CDI 1.2, JPA 2.1, JAX-RS 2.0, Servlet 3.1,
JSP 2.3, EL 3.0, JSF 2.2, JDBC, JNDI, ...**

Kudos to

**Hibernate, Jersey, Weld, Undertow, Jastow,
MyFaces, BoneCP, Logback, ...**

Executable FAT JAR

```
$ mvn package  
[...]
```

```
$ ls -sh target/*.jar  
30M target/myapp.jar
```

```
$ java -jar target/myapp.jar
```

YAML Config

```
undertow:  
  connectors:  
    - type: http  
      port: 8080  
  
logging:  
  level: INFO  
  loggers:  
    de.chka1.backset: DEBUG
```

DEMO

Keep an eye on
Apache TomEE

ApplicationComposers

```
@EnableServices(jaxrs = true)
@Classes(context = "/", value = {
    MyResource.class, MyService.class })
public class MyApp {

    public static void main(String[] args) {
        ApplicationComposers.run(MyApp.class, args);
    }

}
```

Thanks!

Questions?

<https://github.com/chkal/backset>

<https://github.com/chkal/javaland15-byoc>

Christian Kaltepoth / @chkal